

Please type a plus sign (+) inside this box → [ + ]



PTO/SB08A (10-01)

Approved for use through 10/31/2002 OMB 0651-0031  
Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number

<b>INFORMATION DISCLOSURE STATEMENT BY APPLICANT</b> (use as many sheets as necessary)	<b>COMPLETE IF KNOWN</b>	
	Application Number	10/007,733
	Confirmation Number	4964
	Filing Date	November 8, 2001
	First Named Inventor	Donald C. Roe
	Group Art Unit	2632
	Examiner Name	Mullen
Attorney Docket Number	8775	

SHEET 1 of 1

### U. S. PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No. <sup>1</sup>	DOCUMENT NUMBER Number - Kind Code <sup>2</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
TM ↓ ↓ ↓ ↓ ↓ ↓ ↓	1	US-4,852,578	8/1/89	Companion, et al.	RECEIVED FEB 26 2002 Technology Center 2600
	2	US-4,926,871	5/22/90	Ganguly, et al.	
	3	US-5,058,591	10/22/91	Companion, et al.	
	4	US-5,235,985	8/17/93	McMorrow, et al.	
	5	US-5,964,710	10/12/99	Ganguly, et al.	
	6	US-6,110,111	8/29/00	Barnard	
	7	US-6,213,949 B1	4/10/01	Ganguly, et al.	

### FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No. <sup>1</sup>	FOREIGN PATENT DOCUMENT Country Code <sup>3</sup> Number <sup>4</sup> Kind Code <sup>5</sup> (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T <sup>6</sup>

### OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No. <sup>1</sup>	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T <sup>6</sup>
TM ↓ ↓ ↓ ↓ ↓ ↓	8	FORSYTHE, W.I. AND BUTLER, R.J., "Fifty Years of Enuretic Alarms", <u>Archives of Disease in Childhood</u> , 1989, 64, 879-885.	
	9	HANSEN, A.F., AND JORGENSEN, T.M., "Alarm Treatment: Influence on Functional Bladder Capacity", <u>Scand J. Urol Nephrol</u> , 1996, pp. 59-60, ISSN 0036-5599.	
	10	BONDE, H.V., et al., "Nocturnal Enuresis: Change of Nocturnal Voiding Pattern During Alarm Treatment", <u>Scand J. Urol Nephrol</u> , 28:349-352, 1994.	
	11	PETRICAN, P. AND SAWAN, M.A., "Design of a Miniaturized Ultrasonic Bladder Volume Monitor and Subsequent Preliminary Evaluation on 41 Enuretic Patients", <u>IEEE Transactions on Rehabilitation Engineering</u> , Vol. 6, No. 1, March 1988, pp. 66-74.	
	12	BEAUCHAMP-PARENT, A. AND SAWAN, M., "New Reconfigurable Ultrasonic Enuresis Monitoring System", <u>Proceedings of the 20<sup>th</sup> Annual International Conference of the IEEE Engineering in medicine and Biology Society</u> , Vol. 20, No. 2, 1998, pp. 789-792.	
	13	PRETLOW, R.A., "Treatment of Nocturnal Enuresis With An Ultrasound Bladder Volume Controlled Alarm Device", <u>The Journal of Urology</u> , Vol. 162, 1224-1228, September 1999.	
EXAMINER	Mullen	DATE CONSIDERED	5/28/04

EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

<sup>1</sup>Applicant's unique citation designation number (optional). <sup>2</sup>See Kind Codes of U.S. Patent Documents at [www.uspto.gov](http://www.uspto.gov) or MPEP 901.04. <sup>3</sup>Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). <sup>4</sup>For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. <sup>5</sup>Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. <sup>6</sup>Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.